

Formal Verification of Coalescing Graph-Coloring Register Allocation

Sandrine Blazy¹, Benoît Robillard¹, and Andrew W. Appel²

¹ IRISA - Université Rennes 1

² CEDRIC - ENSIIE

³ Princeton University

Abstract. Iterated Register Coalescing (IRC) is a widely used heuristic for performing register allocation via graph coloring. Many implementations in existing compilers follow (more or less faithfully) the imperative algorithm published in 1996. Several mistakes have been found in some of these implementations.

In this paper, we present a formal verification (in Coq) of the whole IRC algorithm. We detail a specification that can be used as a reference for IRC. We also define the theory of register-interference graphs; we implement a purely functional version of the IRC algorithm, and we prove the total correctness of our implementation. The automatic extraction of our IRC algorithm into Caml yields a program with competitive performance. This work has been integrated into the CompCert verified compiler.

1 Introduction: Iterated Register Coalescing

Register allocation via graph coloring was invented by Chaitin *et al.* [7]. The variables of the program are treated as vertices in an interference graph. If two program variables are live at the same time⁴ then they must not be assigned to the same register: this situation is indicated by placing an edge in the interference graph. If the target machine architecture has K registers, then a K -coloring of the graph corresponds to a good register allocation.

Kempe's 1879 graph-coloring algorithm works as follows. Find a vertex x of degree $< K$ from the graph. (Call such a vertex a *low-degree* vertex.) Remove x from the graph. Recursively K -color the rest of the graph. Now put x back in the graph, assigning it a color. Because (when x was removed) its degree was $< K$, there must be an available color for x . Kempe's algorithm is easy to implement and has a good running time.

But some K -colorable graphs have no low-degree vertices (i.e. Kempe's algorithm is incomplete); not only that, some source programs are not K -colorable. Chaitin augmented Kempe's algorithm to handle *spills*—that is, some vertices are not colored at all, and the corresponding program variables are kept in memory instead of in registers. Spills are costly, because memory-resident variables

⁴ Except in specific cases where the variables are known to contain the same value.

must be loaded and stored. Chaitin’s algorithm also chooses the set of variables to spill, based on interference properties of the graph and on cost heuristics.

Briggs *et al.* [6] improve the algorithm by adding *coalescing*: if the program contains a move instruction from variable a to variable b , then these two variables should be colored the same (assigned to the same register) if possible. Briggs’s algorithm works by adding *preference* edges to the interference graph in addition to interference edges. The problem is now, “ K -color the graph subject to all interference constraints, with the least-cost-possible set of uncolored vertices, and with the fewest possible preference edges that connect differently colored vertices.” Because overeager coalescing can lead to uncolorable graphs, Briggs coalesces preference-related vertices together only when it would not change a low-degree ($< K$) vertex to a vertex having more than K high-degree neighbors.

George and Appel [11] improve on Briggs’s algorithm by interleaving graph simplification with Briggs’s coalescing heuristic, and by adding a second coalescing heuristic. The result is that the coalescing is significantly better than in Briggs’s version, and the algorithm runs no slower. George and Appel’s “Iterated Register Coalescing” (IRC) algorithm is widely used in both academic and industrial settings, and many implementations follow the imperative pseudocode given in their paper.

Graph coloring is NP-complete; IRC (like Chaitin’s algorithm) is subquadratic, but does not find optimal solutions. In practice IRC performs well in optimizing compilers, especially for machines with many registers (16 or more). When there are few registers available (8 or fewer) *and* when register allocation is preceded by aggressive live-range splitting, the IRC algorithm is too conservative: it does not coalesce enough, and spills excessively. In such cases, algorithms that use integer linear programming [1] or the properties of chordal graphs [13] are sometimes used to compute an optimal solution.

The CompCert compiler is a formally verified optimizing compiler for the C language [5, 16]. Almost all of CompCert is written in the purely functional Gallina programming language within the Coq theorem prover. That part of CompCert is formally verified with a machine-checked correctness proof, and automatically translated to executable Caml code using Coq’s extraction facility. However, register allocation in CompCert uses an imperative implementation of IRC implemented in Caml, closely following George and Appel’s pseudocode. The result of (each run of) the Caml register-allocator is checked for consistency by a Gallina program, whose correctness is formally verified. This is *translation validation* [19, 18], meaning that CompCert will (provably) never produce an incorrect translation of the source program, but if the Caml program produces an incorrect coloring (or fails to terminate) then CompCert will fail to produce a result at all.

In this new work we have written Iterated Register Coalescing as a pure functional program, expressed in Gallina (and easily expressible in pure ML or Haskell). We have proved the total correctness of the algorithm with a machine-checked proof in Coq, as well as its termination. Register allocation is widely recognized as complex by compiler writers, and IRC itself has sometimes been

incompletely or incorrectly described and implemented. The main contribution of this formalization work is that it provides a correct reference description of IRC. We believe this is the first formal verification of an optimizing register allocation algorithm that is used in industrial practice.

All results presented in this paper have been mechanically verified using the Coq proof assistant [10, 4]. The complete Coq development is available online at <http://www.ensie.fr/~robillard/IRC/>. Consequently, the paper only sketches the proofs of some of its results; the reader is referred to the Coq development for the full proofs.

The remainder of this paper is organized as follows. Section 2 introduces the IRC algorithm. Then, section 3 details this algorithm, as well as the worklists it computes incrementally. Section 4 defines the interference graphs and their main properties. Section 5 describes some properties that are useful for updating incrementally the worklists. Section 6 summarizes the termination proof of the IRC algorithm. Section 7 explains the soundness of the IRC algorithm. Section 8 is devoted to the experimental evaluation of our implementation. Related work is discussed in section 9, followed by concluding remarks.

2 Specification of the IRC algorithm

The input to IRC is an interference *graph* and a *palette* of colors. The vertices of the graph are program variables. Some program variables must be assigned to specific machine registers, because they are used in calling conventions and for other reasons; these vertices are called *precolored*. The *palette* represents the set of all the machine registers, which corresponds to the precolored variables. The (undirected) edges of the graph are *interference* edges, which are unweighted, and *preference* edges, which are weighted.

There is just one data type `Vertex.t` representing all of these concepts: variable, graph vertex, register, color. A color is just a register; a register is simply one of the variables from the set of precolored vertices. We require nothing of the `Vertex.t` type except that it be provided with a computable total ordering (for fast search-tree lookups). An edge is (isomorphic to) a pair of vertices with an optional weight. The equality over edges considers the edge $a \rightarrow b$ equal to the edge $b \rightarrow a$ and we denote the edge by (a, b) .

The output of IRC is a *coloring*, that is, a partial mapping from variables to colors. The range of the coloring must be a subset of the precolored variables. Whenever the graph contains an interference edge between a and b , the coloring must map a and b to different colors.

The cost of a coloring is the sum of move-cost and spill-cost. Move-cost w occurs when there is a preference edge of weight w between a and b , and the coloring maps a and b to different variables. Spill-cost occurs when the coloring fails to map a variable. IRC does not in general produce optimum-cost colorings, so we will not reason formally about costs: we will not formalize move-cost and spill-cost, nor specify the properties of the weight type.

The next section details a Gallina program that is equivalent to the IRC algorithm. *Informally* we will see that this Gallina program is equivalent to the IRC algorithm that performs well in the real world, *formally* we prove that the algorithm always terminates with a valid coloring, and *empirically* we measure the run time of the program (as extracted from Gallina to ML and compiled with the Caml compiler).

3 Sketch of the IRC algorithm

Recall that a *low-degree* vertex is incident on $< K$ interference edges. A *high-degree* vertex has $\geq K$ interference edges. A *move-related* vertex is mentioned in at least one preference edge. To run faster, IRC uses worklists which classify vertices according to their degree and their move-relationship. The worklists are the following ones.

1. `spillWL` is defined as the set of high-degree, nonprecolored vertices.
2. `freezeWL` is defined as the set of low-degree, move-related, nonprecolored vertices.
3. `simplifyWL` is defined as the set of low-degree, nonmove-related, nonprecolored vertices.
4. `movesWL` is defined as the set of preference edges.

The properties of the four worklists can be seen as an invariant, that we call `WL_invariant`. The efficiency of IRC and its proof rely on this invariant.

Given a graph g , the worklists can be computed straightforwardly by examining the set of edges incident on each vertex. George and Appel’s IRC algorithm incrementally updates these worklists. Thus, there is no need to search for low-degree vertices and move-related vertices in the whole graph after each step, but only at their initialization.

IRC usually takes as argument the interference graph g and the *palette* of colors (or K which is the cardinality of *palette* since *palette* is isomorphic to $1..K$). The first step is then to initialize the worklists wl that we define as the quadruple (`spillWL`, `freezeWL`, `simplifyWL`, `movesWL`). The only argument we give to the IRC algorithm is a record (called `irc_graph`) consisting of g , wl , pal , K , a proof that (`WL_invariant g pal wl`) is preserved, and a proof that K is the cardinality of pal . Maintaining K in the `irc_graph` record avoids computing it at each recursive call to IRC. This record is defined in Fig. 1 as well as its construction.

The IRC algorithm as we write it in Gallina⁵ is given in Fig. 2. Option types are used to represent partial functions. A value of type `option t` is either \emptyset (pronounced “none”), denoting failure, or $[x]$ (pronounced “some x ”), denoting success with result $x : t$.

The IRC algorithm is as follows. If there is a low-degree, nonmove-related vertex, then *simplify* (lines 2 and 3): remove a low-degree vertex, color the rest

⁵ Modulo some notation, but otherwise unchanged.

```

Record irc_graph := Make_IRC_Graph {
  gph : Graph.t;
  wl  : WL;
  pal : VertexSet.t;
  k   : nat;
  Hwl : WL_invariant gph pal wl;
  Hk  : VertexSet.cardinal pal = k }.

Definition graph_to_IRC_graph g palette :=
  let K := VertexSet.cardinal palette in
  let wl := init_WL g K in
  Make_IRC_Graph g wl palette K
  (WL_invariant_init g K wl) (refl_equal K).

Definition Iterated_Register_Coalescing g palette :=
  let g' := graph_to_IRC_graph g palette in (IRC g').

```

Fig. 1. The `irc_graph` record and the initialization of IRC. The record is built from an interference graph and a palette. This `irc_graph` is given as argument to IRC.

```

1 : Algorithm IRC g : Coloring :=
2 : match simplify g with
3 : | [(r,g')] → available_coloring g r (IRC g')
4 : | ∅ → match coalesce g with
5 : | [(e,g')] → complete_coloring e (IRC g')
6 : | ∅ → match freeze g with
7 : | [g'] → IRC g'
8 : | ∅ → match spill g with
9 : | [(r,g')] → available_coloring g r (IRC g')
10: | ∅ → precoloring g
11: end
12: end
13: end
14: end.

```

Fig. 2. Implementation of the IRC algorithm in Coq.

of the graph, put back the vertex. Otherwise, if there is a coalescible move (i.e. vertices a and b related by a preference edge, such that the combined vertex ab has less than K high-degree neighbors), then *coalesce* (lines 4 and 5). Otherwise, if there is a low-degree vertex, then *freeze* (lines 6 and 7): mark the low-degree vertex for simplification, even though it is related by a preference edge, and even though this could cause the move-related vertices to be colored differently. Otherwise, if there are only high-degree vertices, then *spill* (lines 8 and 9): remove a vertex, color the rest of the graph, then attempt to put this vertex back into the graph. This attempt may succeed, but is not guaranteed to; there may be no color available for it. Finally, if there are neither low-degree nor high-

degree nonprecolored vertices, the graph contains only precolored vertices, and the recursion bottoms out (line 10).

Our different data structures are represented using the Coq library for finite sets (and finite maps) of elements from a totally ordered type, implemented as AVL trees. We take advantage of not only the library implementations (with $O(\log N)$ operations for nondestructive insert, membership, etc.) but also the library proofs of correctness of these operations. Thus we can write the algorithm in a purely functional style with only an asymptotic cost penalty of $\log N$.

Our formally verified implementation of IRC abstracts interference graphs, so that several implementations of the graph abstraction can be plugged to the algorithm. We have built one such graph implementation, and proved it correct. The extraction (automatic translation into Caml) of our implementation runs competitively with the standard IRC algorithm as implemented imperatively in Caml.

3.1 Functions updating the graph.

Four auxiliary functions called by IRC update the `irc_graph` g and yield a new `irc_graph`. These functions are:

- (`simplify` g) simplifies a vertex v and returns $\llbracket(v, g')\rrbracket$ where g' is the result from the removal of v from g . If no vertex is candidate for the simplification, then \emptyset is returned.
- (`freeze` g) deletes the preference edges incident on a low-degree, nonprecolored, move-related vertex v , and returns $\llbracket g'\rrbracket$. If no vertex can be frozen, then \emptyset is returned.
- (`coalesce` g) looks for a coalescible edge e of g and merges its endpoints, leading to a graph g' , and returns $\llbracket(e, g')\rrbracket$. If there is no coalescible edge in the graph, \emptyset is returned.
- (`spill` g) spills a vertex v having the lowest spill cost and returns $\llbracket(v, g')\rrbracket$ where g' is the result from the removal of v from g . If no nonprecolored vertex remains in the graph, then \emptyset is returned.

Each of these functions is divided into two parts : first it determines whether the operation is possible or not (e.g. if there exists a coalescible move); then if it is, it updates the `irc_graph` by calling another function, postnamed with `_irc`. These latter functions call operations of the `graph` abstract data type, reuse directly the palette (as well as K and the proof of `Hk`), and update the worklists. Moreover, the proof of the worklist invariant is incrementally updated in order to prove the invariant for the new graph.

Fig. 3 shows how the `simplify_irc` function calls the `remove_vertex` function. The (nontrivial) specification of the function updating the graph is defined in the `graph` interface. `Inv_simplify_wl` is the lemma stating that the invariant is preserved by the `simplify_wl` function. Its proof is hard and needs to be done separately for each function. It is required to build the record.

```

Definition simplify_irc r ircg H :=
  Make_IRC_Graph (remove_vertex r (gph ircg))
    (simplify_wl r ircg (k ircg))
    (pal ircg)
    (k ircg)
    (Inv_simplify_wl r ircg H)
    (Hk ircg).

```

Fig. 3. Definition of the `simplify_irc` function. It takes a vertex `r` to simplify and an `irc_graph` as input and calls the function `remove_vertex` acting on a `graph`. The hypothesis called `H` states that `r` belongs to the simplify worklist of `(wl ircg)`.

3.2 Functions updating the coloring.

The algorithm starts from a nonempty coloring (i.e. with precolored vertices). Then, IRC colors at most one vertex per recursive call until all the nonprecolored vertices are colored or marked for spilling. This process uses the three following functions.

(`precoloring g`) is a mapping containing just $x \mapsto x$ for every x such that $x \in \text{vertices}(\text{gph } g) \cap \text{palette}$. When we use this function, it should be the case that $\text{vertices}(\text{gph } g) \subseteq \text{palette}$, that is, g contains only precolored nodes.

(`available_coloring g v m`) is defined as $m[v \mapsto c]$, where c is any element of $(\text{pal } g) - (\text{forbidden } v m g)$. Informally, this function assigns to v a color c such that no interference neighbor of v is colored with c , if such a color exists (it may not be the case when a variable is spilled). The forbidden set is the union of all the colors (in the range of m) of the interference neighbors of v in g .

(`complete_coloring e m`), with $e = (x, y)$, is defined as $m[y \mapsto m(x)]$ if $x \in \text{dom}(m)$, otherwise just m . It is used to assign the same color to the endpoints of a coalesced edge.

4 Interference graphs

The Coq standard library does not contain any general library on graphs yet. Indeed, formalizing graph theory requires many application-specific choices. We have defined a generic interface for *interference graphs* (i.e. the type called `graph`), as well as an implementation of them. Our interface is voluntarily minimal: it consists only of definitions and properties that are needed by the IRC algorithm. Such a minimal interface could be reused and extended in a further development. This section presents this interface and focuses on the specification of the functions updating the graph. The implementation of the interface as well as the proofs of the properties are not detailed in this paper, but can be consulted online.

4.1 Vertices and edges

An interference graph is a graph with two kinds of edges. Thus, we have chosen to describe interference graphs as a set of vertices and two sets of edges, since this representation is very expressive and is commonly used in graph theory. However, these sets are only used for the specification. The underlying implementation of our interface uses adjacency maps. Both vertices and edges are required to be ordered types in order to use efficient data structures of the Coq standard library.

The type of edges generalizes interference and preference edges. The edges are classically specified as triples (v_1, v_2, w) where v_1 and v_2 are the extremities of the edge, and w is the optional weight of the edge. For convenience, weights will be omitted when they do not matter. In addition, edges are provided with accessors to their first endpoint (`fst_end`), their second endpoint (`snd_end`) and their weight (`get_weight`). We also define that an edge e is incident to a vertex v iff v is an endpoint of e :

$$\text{incident } e v =_{\text{def}} \text{fst_end } e = v \vee \text{snd_end } e = v$$

The two kinds of edges can be discriminated by their weight : interference edges are unweighted edges, their weight is \emptyset , preference edges are weighted edges, their weight is $[x]$. Moreover, two predicates `pref_edge` and `interf_edge` are used to specify whether an edge is a preference edge or an interference edge, and a predicate `same_type` which holds for two edges iff they are of the same type. We also define an equality over edges (denoted by $=$) as the commutative equality of their endpoints, and the equality of their weight.

Interference graphs are updated through accessors (to vertices and edges) and predicates that test the belonging of a vertex or an edge to the graph. More precisely:

- $V g$ is the set of vertices of g .
- $IE g$ is the set of interference edges of g .
- $PE g$ is the set of preference edges of the g .
- $v_1 \in_v g$ holds iff the vertex v_1 belongs to g .
- $e_1 \in_e g$ holds iff the edge e_1 belongs to g .

From this basis we derive two other key predicates, representing neighborhood relations.

- `interfere` $x y g =_{\text{def}} (x, y, \emptyset) \in_e g$
- `prefere` $x y g =_{\text{def}} \exists w, (x, y, [w]) \in_e g$

4.2 Properties of interference graphs

An interference graph g must be a simple graph, that is, there is at most one edge between each pair of vertices. This is not restrictive and avoids conflicts between preference and interference edges. Indeed, two edges of the same type linking the same vertices are equivalent to one edge of this type, and two edges of different types linking the same vertices are equivalent to an interference edge. Formally specifying this property requires some intermediate definitions.

We define an equivalence (denoted by \simeq) between edges that does not take weights into account.

$$e \simeq e' =_{\text{def}} (\text{fst_end } e = \text{fst_end } e' \wedge \text{snd_end } e = \text{snd_end } e') \vee (\text{fst_end } e = \text{snd_end } e' \wedge \text{snd_end } e = \text{fst_end } e')$$

In a simple graph, this equivalence implies equality.

Theorem 1. *If $e_1 \in_e g \wedge e_2 \in_e g \wedge e_1 \simeq e_2$, then $e_1 = e_2$.*

An interference graph must be loop-free: no edge goes from a vertex to itself.

Theorem 2. *If $e_1 \in_e g$, then $\text{fst_end } e_1 \neq \text{snd_end } e_1$.*

The endpoints of any edge of g must belong to g .

Theorem 3. *If $e_1 \in_e g$, then $(\text{fst_end } e_1) \in_v g \wedge (\text{snd_end } e_1) \in_v g$.*

4.3 Specification of the `remove_vertex` function

We characterize $g' = \text{remove_vertex } v g$ with the three following axioms.

- (RM1) $Vg' = (Vg) - \{v\}$
- (RM2) $\text{precolored } g' = (\text{precolored } g) - \{v\}$
- (RM3) $e_1 \in_e g' \Leftrightarrow (e_1 \in_e g \wedge \neg \text{incident } e_1 v)$

4.4 Specification of the `delete_preference_edges` function

Given $g' = \text{delete_preference_edges } v$, all the preference edges incident to v in g are deleted in g' . We axiomatize this function as follows.

- (DP1) $Vg' = Vg$
- (DP2) $\text{precolored } g' = \text{precolored } g$
- (DP3) $\text{IE } g' = \text{IE } g$
- (DP4) $\text{PE } g' = \text{PE } g - \{e \mid \text{incident } e v\}$

4.5 Specification of the `merge` function

The hardest function of the interface to specify is the `merge` function. Given an edge $e = (x, y)$ of g , $(\text{merge } e g)$ yields the graph g' such that x and y have been merged into a single vertex. This operation requires to define the redirection of an edge. Intuitively, when an edge is merged, it is transformed into its redirection in g' .

Let $e' = (a, b)$ be an edge. The redirection of e' from c to d (denoted by $e'_{[c \rightarrow d]}$) is the edge such that each occurrence of c in the endpoints of e' is replaced with d . We do not consider the case where $e' = (c, c)$ since, interference graphs are loop-free. $e'_{[c \rightarrow d]}$ is defined as follows.

1. $(a, b)_{[a \rightarrow d]} =_{\text{def}} (d, b)$ if $a \neq b$
2. $(a, b)_{[b \rightarrow d]} =_{\text{def}} (a, d)$ if $a \neq b$
3. $(a, b)_{[c \rightarrow d]} =_{\text{def}} (a, b)$ if $a \neq c \wedge b \neq c$

For $g' = \text{merge}(x, y) g$, we consider that x is the merged vertex. Thus, the vertices of g' are those of g minus y . Any interference edge e of g is transformed into the edge $e_{[y \rightarrow x]}$ in g' . Any preference edge e of g is transformed into the edge $e_{[y \rightarrow x]}$ in g' if the extremities of $e_{[y \rightarrow x]}$ are not linked with an interference edge in g' . The merge function is axiomatized as follows.

- (ME1) $Vg' = (Vg) - \{y\}$
- (ME2) $\text{precolored } g' = (\text{precolored } g) - \{y\}$
- (ME3) If $e' \in (\text{IE } g)$, then $e'_{[y \rightarrow x]} \in (\text{IE } g')$.
- (ME4) If $e' \in (\text{PE } g) \wedge e \neq e' \wedge \neg \text{interfere}(\text{fst_end } e'_{[y \rightarrow x]})(\text{snd_end } e'_{[y \rightarrow x]}) g'$, then $\text{prefere}(\text{fst_end } e'_{[y \rightarrow x]})(\text{snd_end } e'_{[y \rightarrow x]}) g'$.
- (ME5) If $e' \in_e g'$, then $\exists e'' \in_e g$ such that $e' \simeq e''_{[y \rightarrow x]} \wedge (\text{same_type } e' e'')$.

This specification of merge is under restrictive since there is no constraint on weights. It simplifies both the specification and the implementation of merge. It allows the user not to take care about possible weights of preference edges.

4.6 Basic interference graph functions

The specification of IRC also requires a few other functions and predicates, that are used for instance to determine the neighbors of a vertex.

The interference (resp. preference) neighborhood of a vertex v in a graph g , denoted by $N(v, g)$ (resp. $N_p(v, g)$) is the set containing the vertices x such that there exists an interference edge (resp. a preference edge) between v and x .

$$x \in N(v, g) =_{\text{def}} \text{interfere } x \ v \ g$$

$$x \in N_p(v, g) =_{\text{def}} \text{prefere } x \ v \ g$$

The interference (resp. preference) degree of a vertex v in a graph g , denoted by $\delta(v, g)$ (resp. $\delta_p(v, g)$), is the cardinality of $N(v, g)$ (resp. $N_p(v, g)$).

$$\delta(v, g) =_{\text{def}} \text{card}(N(v, g))$$

$$\delta_p(v, g) =_{\text{def}} \text{card}(N_p(v, g))$$

The IRC algorithm heavily relies on move-relationship and interference degrees of the vertices. Hence, we have to define move-related and low-degree vertices. Both of them are defined as functions yielding booleans, in order to be computable.

A vertex v is `move_related` in a graph g iff the preference neighborhood of v in g is not empty.

$$\text{move_related } g \ v =_{\text{def}} \neg \text{is_empty } N_p(v, g)$$

A vertex v is of low-degree in a graph g if its interference degree is strictly lower than K .

$$\text{has_low_degree } g \ K \ v =_{\text{def}} \delta(v, g) < K$$

5 Incremental update of worklists

The core of the IRC algorithm is the incremental update of the worklists and the preservation of the associated invariant. Our IRC algorithm handles the worklists efficiently and updates, for each recursive call, the minimal sets of vertices that must be updated. Due to a lack of space, only the main properties are given in this paper. A technical-report version of this paper with extensive proofs about incremental update is available at <http://www.ensiie.fr/~robillard/IRC/techreport.pdf>. For each kind of update (vertex removal, coalescing of vertices, and deletion of a preference edge), this section details the main lemmas that are required to prove that the `WL_invariant` holds on the updated graph and worklists.

This section only provides the key lemmas sketching in which conditions vertices have to be moved from a worklist to another one (i.e. how move-related and low-degree vertices evolve through the updates and the way the worklists have to be updated).

5.1 Vertex removal

Removing a vertex generalizes both simplification and spill. Given a vertex v and a graph g , the following properties hold for $g' = \text{remove_vertex } v \ g$.

Theorem 4. *Any nonmove-related vertex $x \neq v$ of g is also nonmove-related in g' .*

Theorem 5. *Any move-related vertex $x \neq v$ of g is nonmove-related in g' iff $x \in N_p(v, g) \wedge \delta_p(x, g) = 1$.*

Theorem 6. *Any low-degree vertex $x \neq v$ of g is also a low-degree vertex of g' .*

Theorem 7. *Any high-degree vertex $x \neq v$ of g is of low-degree in g' iff $x \in N(v, g) \wedge \delta(x, g) = K$.*

Let $wl = (\text{spillWL}, \text{freezeWL}, \text{simplifyWL}, \text{movesWL})$ such that the invariant (`WL_invariant` g *palette* wl) holds. We denote by $IN(v, g)$ the set of nonprecolored interference neighbors of v in g having an interference degree equal to K . These vertices are of high-degree in g and will be of low-degree in g' . Thus, we need to know if they will be move-related or not in g' to classify them in the appropriate worklist. To that purpose, $IN_{mr}(v, g)$ and $IN_{nmr}(v, g)$ are respectively defined as the set of move-related vertices of $IN(v, g)$ in g and of nonmove-related vertices of $IN(v, g)$ in g . Similarly, we denote by $PN(v, g)$ the set of nonprecolored, low-degree preference neighbors of v in g having a preference degree equal to 1 in g . These low-degree vertices will not be move-related anymore and have to be moved from the freeze worklist to the simplify one.

Let $wl' = (\text{spillWL}', \text{freezeWL}', \text{simplifyWL}', \text{movesWL}')$ the four worklists that result from the following updates of wl .

1. Vertices of $IN(v, g)$ are removed from `spillWL`, with $IN(v, g)$ defined as follows. $IN(v, g) =_{\text{def}} \{x \in N(v, g) \mid x \notin \text{precolored}(g) \wedge \delta(x, g) = K\}$.

2. Vertices of IN_{mr} are added to `freezeWL`, with IN_{mr} defined as follows.
 $IN_{mr}(v, g) =_{\text{def}} \{x \in IN(v, g) \mid \text{move_related } g x\}$
3. Vertices of IN_{nmr} are added to `simplifyWL`, with IN_{nmr} defined as follows.
 $IN_{nmr}(v, g) =_{\text{def}} \{x \in IN(v, g) \mid \neg \text{move_related } g x\}$
4. Vertices of $PN(v, g)$ are removed from the freeze worklist resulting from 2 and added to the simplify worklist resulting from 3. $PN(v, g)$ is defined as follows.
 $PN(v, g) =_{\text{def}} \{x \in N_p(v, g) \mid x \notin \text{precolored}(g) \wedge \delta_p(x, g) = 1 \wedge \text{has_low_degree } g K x\}$
5. Preference edges incident to v are removed from `movesWL`.
6. The vertex v is removed from the worklist it belongs to.

Theorem 8. `WL_invariant` g' *palette* wl' .

The accurate update of worklists for the the simplify and spill cases can be simply derived from the general theorem about vertex removal above : a spill is a vertex removal of a vertex belonging to `spillWL` and the simplify case is a vertex removal of a vertex v belonging to `simplifyWL` (and hence such that $PN(v, g)$ is empty by definition of `simplifyWL`).

5.2 Coalescing two vertices

The coalescing case is the hardest one to deal with. We consider here a graph g and an edge (x, y) to be coalesced. In other words, x and y are merged in order to assign the same color to both of them. The resulting graph is called g' . Classically, there are two coalescing criteria :

1. George's criterion states that x and y can be coalesced if $N(x, v) \subseteq N(y, v)$. This criterion is not yet implemented, but represents no real difficulty.
2. Briggs's criterion states that x and y can be coalesced if the vertex resulting from the merge has less than K high-degree neighbors, that is $\text{card}(N(x, g) \cup N(y, g)) \cap H < K$, where H is the set of high-degree vertices of g . This criterion is simpler and performs usually as well as the previous one.

The proof of correctness of the algorithm only requires that the vertices to be merged are not both precolored. The other conditions only ensure the conservability of the coalescing, that is g' remains K -colorable if g is K -colorable. Intuitively, the vertices to be updated in the worklists are the neighbors of the coalesced edge endpoints. Actually, only a small subset of them needs to be updated.

Let $e = (x, y)$ and $g' = \text{merge } e g$. The key lemmas are the following.

Theorem 9. *Any nonmove-related vertex of g is also nonmove-related in g' .*

Theorem 10. *Any move-related vertex v different from x and y of g is nonmove-related in g' iff $v \in (N_p(x, g) \cap N(y, g)) \cup (N_p(y, g) \cap N(x, g)) \wedge \delta_p(v, g) = 1$.*

Theorem 11. *Any low-degree vertex v different from x and y of g is also a low-degree vertex of g' .*

Theorem 12. *Any high-degree vertex v different from x and y of g is of low-degree in g' iff $v \in N(x, g) \cap N(y, g) \wedge \delta(v, g) = K$.*

Let $wl = (\text{spillWL}, \text{freezeWL}, \text{simplifyWL}, \text{movesWL})$ such that the invariant (`WL_invariant g palette wl`) holds. We introduce notations that are similar to those defined in the previous section. We denote by $L(x, y, g)$ the set of nonprecolored interference neighbors of both x and y having an interference degree equal to K in g . These high-degree vertices of g will be low-degree vertices of g' . We reason as in the vertex removal case and respectively define $L_{mr}(x, y, g)$ and $L_{nmr}(x, y, g)$ as the set of move-related vertices of $L(x, y, g)$ and of nonmove-related vertices of $L(x, y, g)$. Last, we denote by $M(x, y, g)$ the set of nonprecolored low-degree vertices of $(N(x, g) \cap N_p(y, g)) \cup (N_p(x, g) \cap N(y, g))$ having a preference degree equal to 1 in g . These vertices will not be move-related anymore and have to be transferred to the simplify worklist.

Let $wl' = (\text{spillWL}', \text{freezeWL}', \text{simplifyWL}', \text{movesWL}')$ the four worklists that result from the following updates of wl .

1. Vertices of $L(x, y, g)$ are removed from `spillWL`, with $L(x, y, g)$ defined as follows. $L(x, y, g) =_{\text{def}} IN(x, g) \cap IN(y, g)$.
2. Vertices of $M(x, y, g)$ are removed from `freezeWL`, with $M(x, y, g)$ defined as follows. $M(x, y, g) =_{\text{def}} \{x \in (N(x, g) \cap N_p(y, g)) \cup (N_p(x, g) \cap N(y, g)) \mid x \notin \text{precolored}(g) \wedge \delta_p(x, g) = 1 \wedge (\text{has_low_degree } g \ K \ x)\}$.
3. Vertices of $L_{mr}(x, y, g)$ are added to the freeze worklist resulting from 2, with $L_{mr}(x, y, g)$ defined as follows.
 $L_{mr}(x, y, g) =_{\text{def}} \{x \in L(x, y, g) \mid \text{move_related } g \ x\}$.
4. Vertices of $L_{nmr}(x, y, g)$ and $M(x, y, g)$ are added to the simplify worklist resulting from 1, where L_{nmr} is defined as follows.
 $L_{nmr}(x, y, g) =_{\text{def}} \{x \in L(x, y, g) \mid \neg \text{move_related } g \ x\}$
5. For every vertex v of $N_p(x, g) \cap N(y, g)$ the preference edge (v, x) is removed from `movesWL`.
6. For every vertex v of $N_p(y, g) - N(x, g)$ a preference edge (v, x) is added to the move worklist resulting from 5.
7. Every preference edge incident to y is removed from the move worklist resulting from 6.
8. If x is not precolored, x is classified in the appropriate worklist, depending on its preference and interference degrees.
9. x (and similarly y) is removed from the spill worklist resulting from 1 if it is of high-degree in g or from the freeze worklist resulting from 3 if it is of low-degree in g .

Theorem 13. `WL_invariant g' palette wl'` .

5.3 Deletion of preference edges

Let $g' = \text{delete_preference_edges } v \ g$. The key lemmas are the following.

Theorem 14. *Any nonmove-related vertex of g is also nonmove-related in g' .*

Theorem 15. *Any move-related vertex $x \neq v$ of g is nonmove-related in g' iff $x \in N_p(v, g) \wedge \delta_p(x, g) = 1$.*

Theorem 16. *Any vertex is of low-degree in g' iff it is of low-degree in g .*

Let $wl = (\text{spillWL}, \text{freezeWL}, \text{simplifyWL}, \text{movesWL})$ such that the invariant (`WL_invariant` g *palette* wl) holds. We denote by D the set of nonprecolored preference neighbors of v having a degree equal to 1 in g , that are also low-degree vertices. These vertices have to be moved from the freeze worklist to the simplify one. D is formally defined as follows.

$$D(v, g) =_{\text{def}} \{x \in N_p(v, g) \mid x \notin \text{precolored}(g) \wedge \delta_p(x, g) = 1 \wedge \text{has_low_degree } g \ K \ x\}$$

Let $wl' = (\text{spillWL}', \text{freezeWL}', \text{simplifyWL}', \text{movesWL}')$ the four worklists that result from the following updates of wl and g' the updated graph.

1. The vertex v is removed from `freezeWL` and added to `simplifyWL`.
2. Vertices of D are removed from the freeze worklist resulting from 1.
3. Vertices of D are added to the simplify worklist resulting from 1.
4. Preference edges incident to v are removed from `movesWL`.

Theorem 17. `WL_invariant` g' *palette* wl' .

6 Termination proof

When looking at the IRC algorithm, it is not straightforward to realize that it terminates. Thus, we have proved the termination of IRC. As 1) IRC is not structurally recursive (there is no argument that decreases along the recursive calls) and 2) we aim at extracting automatically a Caml code from our IRC algorithm, a termination proof is required by Coq.

Our termination argument is a linear measure that gives an accurate bound of the number of recursive calls. Our bound is $\mathcal{B}(g) = (2 \times n(g)) - p(g)$ where $n(g)$ is the number of nonprecolored vertices of the graph g , and $p(g)$ is the number of nonprecolored, low-degree, nonmove-related vertices of the graph g . $p(g)$ can also be seen as the number of candidates to the simplification in g . The proof that $\mathcal{B}(g)$ decreases at each recursive call heavily relies on the theorems 4 to 17 related to the update of the worklists. The termination proof also ensures that the number of calls to IRC is linear in the size of the graph.

Theorem 18. *Let v be a nonprecolored vertex of g and $g' = \text{remove_vertex } v \ g$. Then, $\mathcal{B}(g') < \mathcal{B}(g)$.*

Proof. First, we show that $n(g') = n(g) - 1$. This proof is trivial, since the vertices of g are the same as the vertices of g' , minus v (which is nonprecolored). Second, we show that $p(g) \leq p(g') + 1$. Indeed, according to theorem 34, the number of candidates for the simplification cannot decrease by more than 1. Thus, $2n(g') - p(g') < 2n(g) - p(g)$.

Theorem 19. *Let e be a coalescible edge of g and g' the graph resulting from the coalescing of e in g . Then, $\mathcal{B}(g') < \mathcal{B}(g)$.*

Proof. First, we show that $n(g') = n(g) - 1$. This proof is trivial, since the vertices of g are the same as the vertices of g' , minus the second endpoint of e (which is nonprecolored). Second, we show that $p(g) \leq p(g')$. This proof is trivial too, since, according to theorem 45, the simplify worklist can only grow during the coalescing. Hence we obtain $\mathcal{B}(g') < \mathcal{B}(g)$.

Theorem 20. *Let v be a freeze candidate to g and g' the graph resulting from the freeze of v in g . Then, $\mathcal{B}(g') < \mathcal{B}(g)$.*

Proof. First, we show that $n(g') = n(g)$. This proof is trivial, since the vertices of g are the same as the vertices of g' . Second, we show that $p(g) \leq p(g')$. This proof is trivial too, since, according to theorem 53, the simplify worklist can only grow during the freeze. Hence we obtain $\mathcal{B}(g') < \mathcal{B}(g)$.

Theorem 21. *If IRC g calls recursively IRC g' , then $\mathcal{B}(g') < \mathcal{B}(g)$. Consequently, the number of recursive calls of IRC g is bounded by $\mathcal{B}(g)$ and IRC g terminates.*

Proof. The proof is done by induction on the recursive calls. Each case is discharged thanks to one of the above lemmas.

7 Soundness

A *coloring*, w.r.t. a *palette* maps vertices to colors such that 1) two vertices linked with an interference edge have different colors, 2) any vertex to which a color is assigned belongs to the graph, and 3) any assigned color belongs to *palette*. A coloring is a partial mapping since the variables that are spilled are not colored.

A *coloring* of an interference graph g w.r.t a palette *palette* is a function f from `Vertex.t` to `option Vertex.t` such that :

- (C1) $\forall e = (x, y) \in \text{IE}(g), f(x) \neq f(y)$
- (C2) $\forall x, f(x) = [y] \Rightarrow x \in V(g)$
- (C3) $\forall x \in V(g), f(x) = [y] \Rightarrow y \in \text{palette}$

The soundness proof of IRC states that IRC returns a valid coloring of the graph when the precoloring of the graph (defined in section 3.2) is valid.

Theorem 22. *If precoloring (g) is a coloring of g w.r.t. palette, then IRC g returns a coloring of g w.r.t. palette.*

Proof. The proof is done by induction on the recursive calls. There are five proof obligations to consider (one for each recursive call (PO1 to PO4), and one for the terminal call (PO5))⁶.

⁶ For convenience, we present the proof obligations once the `irc_graph` record has been unfolded.

- (PO1) If $col = IRC(\text{remove_vertex } r \ g)$ is a coloring of $(\text{remove_vertex } r \ g)$ w.r.t. palette, then $(\text{available_coloring } g \ r \ col)$ is a coloring of g w.r.t. palette.
- (PO2) If $col = IRC(\text{merge } e \ g)$ is a coloring of $(\text{merge } e \ g)$ w.r.t. palette and e is a coalescible edge, then $(\text{complete_coloring } e \ col)$ is a coloring of g w.r.t. palette.
- (PO3) If $col = IRC(\text{delete_preference_edges } r \ g)$ is a coloring of $(\text{delete_preference_edges } r \ g)$ w.r.t. palette, then col is a coloring of g w.r.t. palette.
- (PO4) Same proof obligation as (PO1).
- (PO5) $(\text{precoloring } g)$ is a coloring of g w.r.t. palette.

The proof of each of the four cases is almost straightforward using the soundness lemmas of `precoloring`, `available_coloring` and `complete_coloring` that are not detailed in this paper. The last case is true by assumption.

8 Experimental evaluation

The source code of IRC is 600 lines of Coq functions and definitions. 1000 lines of Coq define generic data structures (and modules) that are not used directly by IRC. The whole proof represents approximately 4800 lines of Coq statements and proof scripts (excluding comments and blank lines), including 3300 lines (110 lemmas) for the properties of incremental update of worklists, 300 lines (17 lemmas) for the termination proof, 650 lines (22 lemmas) for the soundness proof and 550 lines (55 lemmas) for the properties of interference graphs. The proof is therefore 8 times bigger than the code it proves, which is a common ratio in the CompCert development [16]).

We have integrated our IRC in the CompCert compiler. Thus, we can compare our Caml implementation of IRC (that is automatically generated from our Gallina program) with the Caml imperative one of CompCert. This comparison is done on the CompCert benchmark, whose characteristics are given Fig. 4. The test programs range from 50 to 3000 lines of C code. Classically, for each program, the compiler generates at most two graphs for each function, one for integer variables and one for float variables. IRC is applied separately to each graph. Each line of Fig. 4 represents a program. The columns show the number of nonempty graphs to color, as well as the average numbers of vertices, interference edges and preference edges of these graphs.

Integrating our IRC in the CompCert compiler allows us to compare the running times of both register allocations. The results on the CompCert benchmark are shown in Fig. 5. Measurements were performed on an Apple PowerMac workstation with two 2.0 GHz PowerPC 970 processors and 6Gb of RAM, running MacOS 10.4.11. The first two columns of the histogram show the running times of both allocators in milliseconds. Our allocator does not run as fast as the imperative one : a logarithmic penalty arising from operations on data structures occurs. However, compilation times remain good (under $\frac{1}{10}$ s. for all the programs of the suite); the slowdown is perfectly acceptable practically.

benchmark	graphs	variables	interferences	preferences
AES cipher	7	113	586	166
Almabench	10	53	310	22
Binary trees	6	23	42	14
Fannkuch	2	50	332	27
FFT	4	72	391	37
Fibonacci	2	17	18	9
Integral	7	12	12	5
K-nucleotide	17	24	74	14
Lists	5	18	33	11
Mandelbrot	2	45	117	17
N-body	9	28	73	10
Number sieve	2	25	53	12
Number sieve bits	3	76	58	12
Quicksort	3	28	116	16
SHA1 hash	8	34	107	15
Spectral test	9	14	35	6
Virtual machine	2	73	214	38
Arithmetic coding	37	31	85	15
Lempel-Ziv-Welch	32	32	127	16
Lempel-Ziv	33	29	92	15

Fig. 4. Benchmark characteristics.

The third column represents the virtual time obtained by adding a logarithmic penalty to the imperative allocator. In other words, the last column is $(\log n)$ times the running time of the imperative allocator, where n is the number of vertices of the graph. This virtual measurement emulates the penalty due to logarithmic-access to data structures. It enables a qualitative comparison between our functional IRC and a standard imperative implementation. One can observe that the time spent by our allocator is very close to the one of the imperative implementation with a logarithmic asymptotic cost. Our functional version of IRC is thus competitive with an imperative version.

Last but not least, we have compared the quality of executable code generated by both allocators. Actually, both allocators implement the same algorithm. We have measured the execution times of several executions of the test suite. The results are equivalent for each test case.

9 Related Work

Despite their wide use in computer science and the maturity of their theory, graphs are the subject of only a few works in the theorem-proving literature. Only a small part of graph theory has been represented in proof assistants.

A few works on graphs are devoted to the specification of graph theory basics. In 1994, Chou formalized in HOL some usual notions of graph theory [9],




Fig. 5. Comparison of the running times of our register allocator and the Caml one. To improve readability, results for the third column of `almabench` and `fft` are bounded by 100 though they are actually respectively 131 and 120.

e.g. graphs, digraphs, acyclic graphs, trees. Works of Chou were followed by formalizations of planar graphs [20] and of graph search algorithms [21] in HOL. In 2001, Duprat formalized the same notions as Chou and directed graphs in Coq, using inductive definitions. Unfortunately, these definitions cannot be extracted using the Coq mechanism for extraction. Hence our work does not use this library. Mizar is probably the theorem prover in which graph theory has been studied the most. It provides a large library on graphs including previous-cited basics and more elaborated formalizations as the one of chordal graphs.

Other work naturally focuses on polynomial graph problems and their algorithms. More precisely, the most studied problem is the (very classical) problem of the shortest path in a positive-weighted graph. In 1998, Paulin and Filliâtre proved Floyd’s algorithm using Coq and a tool for verifying imperative programs that will become *Caduceus* later. To fit this tool, their algorithm is written in an imperative style where graphs are simply represented as matrices. Another algorithm for the same problem, Dijkstra’s algorithm, has been formalized and proved correct in both Mizar [8] and ACL2 [17]. Again, Mizar is in advance with the formalizations of other algorithms as the Ford-Fulkerson algorithm for

flows, LexBFS for chordal graph recognition, or Prim’s algorithm for minimum spanning tree. The latter algorithm has also been proved correct using B [14].

Kempe proved the five-color theorem for planar graphs in 1879 using a variation of the simple algorithm described in the second paragraph of this paper. Alas, he had no mechanical proof assistant; his “proof” of the four-color theorem [15] had an error that was not caught by mathematicians for 11 years. Appel and Haken proved the four-color theorem 97 years later [2]; this was the first use of a computer to prove a major open problem that was unsolved without mechanization. But major parts of that proof were unmechanized.

Recently, the theoretical problems of reasoning about planar graph coloring have been tackled in modern proof assistants. Bauer and Nipkow formalized undirected planar graphs and discussed a proof of the five-color theorem in Isabelle/HOL [3]. Gonthier and Werner produced the first fully mechanized proof of the four-color theorem, using a formalization of hypergraphs which are a generalization of graphs [12]. Gonthier and Werner’s proof includes graph algorithms implemented in Gallina and reasoned about in Coq.

Our work is significant for many reasons. It constitutes the first machine-checked proof of a nontrivial register allocation algorithm and a reference implementation of IRC. In addition, using a functional language, as Gallina, and a recursive definition of an algorithm, requires hard work on the termination proof. Furthermore, the algorithm we prove is an optimizing algorithm working on interference graphs. These graphs have specific properties that must be kept in mind along the specification of the algorithm. Finally, we took a special care of the algorithmic complexity of the generated code since it deals with a real and concrete problem, register allocation that has been integrated to the CompCert compiler.

10 Conclusion

We have presented, formalized and implemented an optimizing register allocation algorithm based on graph coloring. The specification of this algorithm raises difficult programming issues, such as the proof of termination, the specification of interference graphs, the care of algorithmic complexity and the functional translation of an imperative algorithm. In particular, we provided a very accurate way to adjust worklists incrementally, even better than the ones usually implemented. We also provided a correct reference description of IRC.

The extraction of our implementation leads to a Caml code that has been embedded in CompCert and whose results are equivalent to the one of the current release version of CompCert. The execution times (of the graph coloring phase of the CompCert compiler) are competitive with the ones of the release version of CompCert. Only a very little slowdown that cannot be avoided appears, due to logarithmic data structures operations of purely functional programming.

References

1. Andrew W. Appel and Lal George. Optimal spilling for CISC machines with few registers. In *PLDI*, 2001.
2. Kenneth Appel and Wolfgang Haken. Every planar map is four colorable. *Bulletin of the American Mathematical Society*, 82:711–712, 1976.
3. Gertrud Bauer and Tobias Nipkow. The 5 colour theorem in Isabelle/Isar. In *TPHOLs*, volume 2410 of *LNCS*, pages 67–82, 2002.
4. Yves Bertot and Pierre Castéran. *Interactive Theorem Proving and Program Development – Coq’Art: The Calculus of Inductive Constructions*. EATCS Texts in Theoretical Computer Science. Springer-Verlag, 2004.
5. Sandrine Blazy, Zaynah Dargaye, and Xavier Leroy. Formal verification of a C compiler front-end. In *FM 2006*, volume 4085 of *LNCS*, pages 460–475, 2006.
6. Preston Briggs, Keith D. Cooper, and Linda Torczon. Improvements to graph coloring register allocation. *TOPLAS*, 16(3):428 – 455, 1994.
7. Gregory J. Chaitin, Marc A. Auslander, Ashok K. Chandra, John Cocke, Martin E. Hopkins, and Peter W. Markstein. Register allocation via coloring. *Computer Languages*, 6:47–57, 1981.
8. Jing-Chao Chen. Dijkstra’s shortest path algorithm. *Journal of Formalized Mathematics*, 15, 2003.
9. Ching-Tsun Chou. A formal theory of undirected graphs in higher-order logic. In *Workshop on Higher Order Logic Theorem Proving and Its Applications*, pages 144–157, 1994.
10. Coq development team. The coq proof assistant, <http://coq.inria.fr>.
11. Lal George and Andrew W. Appel. Iterated register coalescing. *TOPLAS*, 18(3):300–324, 1996.
12. Georges Gonthier. Formal proof – the four-color theorem. *Notices of the American Mathematical Society*, 55(11):1382–1393, December 2008.
13. Sebastian Hack and Gerhard Goos. Copy coalescing by graph recoloring. In *PLDI*, 2008.
14. Dominique Méry Jean-Raymond Abrial, Dominique Cansell. Formal derivation of spanning tree algorithms. In *ZB 2003*, volume 2651 of *LNCS*, pages 627–628, 2003.
15. A. B. Kempe. On the geographical problem of the four colors. *American Journal of Mathematics*, 2:193–200, 1879.
16. Xavier Leroy. Formal certification of a compiler back-end or : Programming a compiler with a proof assistant. *POPL*, pages 42–54, 2006.
17. J. Strother Moore and Qiang Zhang. Proof pearl: Dijkstra’s shortest path algorithm verified with ACL2. In *TPHOLs*, volume 3603 of *LNCS*, pages 373–384, 2005.
18. George C. Necula. Translation validation for an optimizing compiler. *SIGPLAN Not.*, 35(5):83–94, 2000.
19. Amir Pnueli, Michael Siegel, and Eli Singerman. Translation validation. In *TACAS ’98*, volume 1384 of *LNCS*, pages 151–166, 1998.
20. Mitsuharu Yamamoto, Shin-ya Nishizaki, Masami Hagiya, and Yozo Toda. Formalization of planar graphs. In *Workshop on Higher Order Logic Theorem Proving and Its Applications*, pages 369–384, 1995.
21. Mitsuharu Yamamoto, Koichi Takahashi, Masami Hagiya, Shin-ya Nishizaki, and Tetsuo Tamai. Formalization of graph search algorithms and its applications. In *TPHOLs*, LNCS, pages 479–496, 1998.

A Incremental update of worklists

The core of the algorithm is the incremental update of the worklists. As few vertices as possible are updated. In this section, we formally describe how to maintain the worklists efficiently. In other words, we determine, for each recursive call, the minimal sets of vertices that must be updated.

The graph can be updated before the computation of its new worklists. As a result, one can use the new graph to compute the worklists. We here detail these proofs. We encourage the reader interested in details to browse the development online. The use of intermediate is indicated by bracketed references. Theorems provided without proofs are corollaries immediately derived from other lemmas.

A.1 Vertex removal

For every vertex x belonging to the neighborhood (resp. preference neighborhood) of v in g , the interference neighborhood (resp. preference neighborhood) of x in g' is obtained by removing v from the neighborhood (resp. preference neighborhood) of x in g .

Theorem 23. *For every vertex $v \neq x$, $N(x, g') = N(x, g) - \{v\}$.
For every vertex $v \neq x$, $N_p(x, g') = N_p(x, g) - \{v\}$.*

Proof. We prove the result for the interference neighborhood, for the preference one the proof is analogous.

(\Rightarrow) Let y be a vertex of $N(x, g')$. y is different from v since y belongs to g' while v does not (**Th. 2**) (**RM1**). In addition, the interference edge (x, y) belongs to g' (Def. of N) and thus to g (**RM3**). As a result, x belongs to $N(x, g) - \{v\}$.

(\Leftarrow) Let y be a vertex of $N(x, g) - \{v\}$. The interference edge (x, y) belongs to g (Def. of N). In addition, (x, y) is not incident to v since both x and y are different from v . Hence, (x, y) belongs to g' and thus $y \in N(x, g')$ (Def. of N and **RM3**).

If x is a neighbor (resp. preference neighbor) of v in g , then its degree (resp. preference degree) is one more in g than in g' .

Theorem 24. *If $x \in N(v, g)$, then $\delta(x, g') = \delta(x, g) - 1$.
If $x \in N_p(v, g)$, then $\delta_p(x, g') = \delta_p(x, g) - 1$.*

Proof. Again, we only prove the result for the interference degree. Let $x \neq v$ be a vertex of g . We have $\delta(x, g') = \text{card}(N(x, g) - \{v\})$ and $\delta(x, g) = \text{card}(N(x, g))$. Finally, the symmetry of N (Def. of N) and the assumption lead to the result.

A vertex x belonging to the interference neighborhood of v in g is of low-degree in g' iff its degree in g is lower than or equal to K .

Theorem 25. *If $x \in N(v, g)$ then $\text{has_low_degree } g' K x \Leftrightarrow \delta(x, g) \leq K$.*

A vertex x belonging to the interference neighborhood of v in g is nonmove-related in g' iff its preference degree is lower than one in g .

Theorem 26. *If $x \in N_p(v, g)$, then $\neg \text{move_related } g' x \Leftrightarrow \delta_p(x, g) \leq 1$.*

For every vertex $x \neq v$ which does not belong to the neighborhood (resp. preference neighborhood) of v in g , the degree (resp. preference degree) of x is the same in g' as in g .

Theorem 27. *Let x be a vertex such that $x \neq v$.*

If $x \notin N(v, g)$, then $\delta(x, g') = \delta(x, g)$.

If $x \notin N_p(v, g)$, then $\delta_p(x, g') = \delta_p(x, g)$.

Proof. We prove the result for interference degree only. Let $x \neq v$ be a vertex of g . We have $\delta(x, g') = \text{card}(N(x, g) - \{v\})$ and $\delta(x, g) = \text{card}(N(x, g))$. Finally, the symmetry of N (Def. of N) and the assumption lead to the result.

A vertex $x \neq v$ which does not belong to the interference neighborhood of v in g is of low-degree in g' iff it is in g .

Theorem 28. *Let x be a vertex such that $x \neq v$. If $x \notin N(v, g)$, then $\text{has_low_degree } g K x \Leftrightarrow \text{has_low_degree } g' K x$.*

A vertex $x \neq v$ which does not belong to the preference neighborhood of v in g is move-related in g' iff it is in g .

Theorem 29. *Let x be a vertex such that $x \neq v$. If $x \notin N_p(v, g)$, then $\text{move_related } g x \Leftrightarrow \text{move_related } g' x$.*

To summarize, the key lemmas are:

Theorem 30. *Any nonmove-related vertex $x \neq v$ of g is also nonmove-related in g' .*

Theorem 31. *Any move-related vertex $x \neq v$ of g is nonmove-related in g' iff $x \in N_p(v, g) \wedge \delta_p(x, g) = 1$.*

Theorem 32. *Any low-degree vertex $x \neq v$ of g is also a low-degree vertex of g' .*

Theorem 33. *Any high-degree vertex $x \neq v$ of g is of low-degree in g' iff $x \in N(v, g) \wedge \delta(x, g) = K$.*

Let $wl = (\text{spillWL}, \text{freezeWL}, \text{simplifyWL}, \text{movesWL})$ such that the invariant ($\text{WL_invariant } g \text{ palette } wl$) holds. We denote by $IN(v, g)$ the set of nonprecolored interference neighbors of v in g having an interference degree equal to K . These vertices are of high-degree in g and will be of low-degree in g' . Thus, we need to know if they will be move-related or not in g' to classify them in the appropriate worklist. To that purpose, $IN_{mr}(v, g)$ and $IN_{nmr}(v, g)$ are respectively defined as the set of move-related vertices of $IN(v, g)$ in g and of nonmove-related vertices of $IN(v, g)$ in g . Similarly, we denote by $PN(v, g)$ the set of nonprecolored, low-degree preference neighbors of v in g having a preference degree equal to 1 in g . These low-degree vertices will not be move-related anymore and have to be moved from the freeze worklist to the simplify one.

Let $wl' = (\text{spillWL}', \text{freezeWL}', \text{simplifyWL}', \text{movesWL}')$ the four worklists that result from the following updates of wl .

1. Vertices of $IN(v, g)$ are removed from `spillWL`, with $IN(v, g)$ defined as follows. $IN(v, g) =_{\text{def}} \{x \in N(v, g) \mid x \notin \text{precolored}(g) \wedge \delta(x, g) = K\}$.
2. Vertices of IN_{mr} are added to `freezeWL`, with IN_{mr} defined as follows. $IN_{mr}(v, g) =_{\text{def}} \{x \in IN(v, g) \mid \text{move_related } gx\}$
3. Vertices of IN_{nmr} are added to `simplifyWL`, with IN_{nmr} defined as follows. $IN_{nmr}(v, g) =_{\text{def}} \{x \in IN(v, g) \mid \neg \text{move_related } gx\}$
4. Vertices of $PN(v, g)$ are removed from the freeze worklist resulting from 2 and added to the simplify worklist resulting from 3. $PN(v, g)$ is defined as follows. $PN(v, g) =_{\text{def}} \{x \in N_p(v, g) \mid x \notin \text{precolored}(g) \wedge \delta_p(x, g) = 1 \wedge (\text{has_low_degree } g K x)\}$
5. Preference edges incident to v are removed from `movesWL`.
6. The vertex v is removed from the worklist it belongs to.

Theorem 34. `WL_invariant` g' palette wl' .

Proof. 1. `spillWL'` (\Rightarrow): Let x be a vertex of `spillWL'`. We have to show that x is in g' , is of high-degree in g' and is not precolored in g' . Since x is in `spillWL'`, x is different from v , and hence belongs to g' (**RM1**). Moreover, x is in `spillWL` since, by definition of `spillWL'`, `spillWL' \subseteq spillWL`. For the degree of x in g' there are two cases to distinguish :

- (a) x belongs to $N(v, g)$: Since x does not belong to $IN(v, g)$, its degree is at least $K + 1$. Hence, its degree in g' is at least K (**Th. 24**).
- (b) x does not belong to $N(v, g)$: x has the same degree in g and g' (**Th.27**). Thus, it is of high-degree in g' (**Th.28**).

Finally, x is not precolored since the precolored vertices of g and g' are the same (**RM2**) and x is not precolored in g (because x is in `spillWL`).

2. `spillWL'` (\Leftarrow): Let x be a nonprecolored, high-degree vertex of g' . We have to show that x is a vertex of `spillWL` and does not belong to $IN(v, g)$. We first show that x belongs to `spillWL`, that is equivalent to show that x is a nonprecolored, high-degree vertex of g . $x \neq v$ since x is in g' (**RM1**), and x belongs to g . This implies that x is of high-degree in g (**Th. 32**). Last, x is a nonprecolored vertex of g since x is a nonprecolored vertex of g' (**RM2**). Last, x does not belong to $IN(v, g)$ since it is of high-degree in g' (**Th.33**). Hence, x belongs to `spillWL` - $IN(v, g) \subseteq \text{spillWL}'$.
3. `simplifyWL'` (\Rightarrow): Let x be a vertex of `simplifyWL'`. Hence, x is not equal to v . We distinguish now three cases:
 - (a) x is in `simplifyWL` : First, x is in g' since it is not equal to v . Second, x is of low-degree since degrees only decrease when v is removed (**Th. 32**). Third, x is not move-related in g' since it is not move-related in g (**Th. 30**). Last, x is not precolored in g' since it is not in g (**RM2**).
 - (b) $x \in IN_{nmr}$: First, x is in g' since $x \neq v$. Indeed, v cannot belong to IN , and thus to $IN_{nmr}(v, g)$, since any vertex cannot belong to its own neighborhood (**Th. 2**). Second, x is of low-degree in g' (**Th. 32**). Third, x is nonmove-related in g and so does it in g' (**Th. 30**). Last, x is not precolored in g' since it is not precolored in g (**RM2**).

- (c) $x \in PN$: First, x is in g' since it is not equal to v . Second, x is of low-degree in g' since it belongs to **freezeWL**. Indeed, x is of low-degree in g and its degree is lower in g' than in g (**Th. 32**). Furthermore, x is not move-related in g' , according to (**Th. 31**). Last, x is not precolored in g' as in g (**RM2**).
4. **simplifyWL'** (\Leftarrow) : Let x be a low-degree, nonmove-related vertex of g' . Since it is in g' , x is different from v . Hence x belongs to g (**RM1**). There are two cases to consider :
- (a) x is move-related in g : x can nothing but belong to $N_p(v, g)$ (**Th. 31**). Hence, it does not belong to $N(v, g)$ and, hence, its degree is the same in g and g' (**Th. 1**) (**Th. 28**). Thus, x is of low-degree in g . Consequently, x belongs PN , and so to **simplifyWL'**.
- (b) x is not move-related in g . There are again two cases :
- i. x is of low-degree in g . Thus, x belongs to **simplifyWL** and thus to **simplifyWL'** since **simplifyWL** \subseteq **simplifyWL'**.
- ii. x is of high-degree in g . x can nothing but belong to $IN_{nmr}(v, g)$. Indeed, $x \in N(v, g)$ since its degree is strictly lower in g' than in g (**Th. 33**). In addition, x does not belong to $N_p(v, g)$ since it belongs to $N(v, g)$. Hence its preference degree in g' is the same as in g (**Th. 27**). Thus, x is not move-related in g . Finally, x is not precolored in g since it is not precolored in g' (**RM2**). As a consequence, x belongs to **simplifyWL'**.
5. **freezeWL'** (\Rightarrow) : Proof analog to the **simplify** (\Rightarrow) case.
6. **freezeWL'** (\Leftarrow) : Proof analog to the **simplify** (\Leftarrow) case.
7. **movesWL'** (\Rightarrow) : Let e be an edge of **movesWL'**. By definition of **movesWL'**, e belongs to **movesWL** and is not incident to v . Hence, e is a preference edge of g and is not incident to v . Hence, (**RM3**) concludes that e is a preference edge of g' .
8. **movesWL'** (\Leftarrow) : Let e be a preference edge of g' . Hence, (**RM3**) ensures that e is a preference edge of g .

The accurate update of worklists for the the **simplify** and **spill** cases can be simply derived from the general theorem about vertex removal above : a **spill** is a vertex removal of a vertex belonging to **spillWL** and the **simplify** case is a vertex removal of a vertex v belonging to **simplifyWL** (and hence such that $PN(v, g)$ is empty by definition of **simplifyWL**).

A.2 Coalesce

The coalescing case is the hardest one to deal with. We consider here a graph g and an edge (x, y) to be coalesced. In other words, x and y are merged in order to assign the same color to both of them. The resulting graph is called g' . Classically, there are two coalescing criteria :

1. George's criterion states that x and y can be coalesced if $N(x, v) \subseteq N(y, v)$. This criterion is not yet implemented, but represents no real difficulty.

2. Briggs's criterion states that x and y can be coalesced if the vertex resulting from the merge has less than K high-degree neighbors, that is $\text{card}(N(x, g) \cup N(y, g)) \cap H < K$, where H is the set of high-degree vertices of g . This criterion is simpler and performs usually as well as the previous one.

The proof of correctness of the algorithm only requires that the vertices to be merged are not both precolored. The other conditions only ensure the conservability of the coalescing, that is g' remains K -colorable if g is K -colorable. Intuitively, the vertices to be updated in the worklists are the neighbors of the coalesced edge endpoints. Actually, only a small subset of them needs to be updated.

First, we define the key properties required to realize the proof. Two vertices v and v' both different from x and y are linked with an interference edge (resp. preference edge) in g' iff they are linked with an interference edge (resp. preference edge of the same weight) in g .

Theorem 35. *If $v \neq x \wedge v \neq y \wedge v' \neq x \wedge v' \neq y$ then $(v, v') \in_e g' \Leftrightarrow (v, v') \in_e g$.*

Proof. We first prove this proposition for an interference edge.

(\Rightarrow) We apply **(ME3)**. Since (v, v') is not incident to x and y , we obtain that (v, v') belongs to g **(ME5)** **(Th.1)**.

(\Leftarrow) By assumption, (v, v') is an interference edge of g . In addition, (v, v') is neither incident to x nor y . This implies that (v, v') is left unchanged when e is coalesced **(ME3)**. Hence, (v, v') belongs to g' .

For a preference edge, the proof is almost the same, but we have to prove that v and v' do not interfere in g and g' , in order to apply **(ME4)**. We apply the lemma for interference edges to prove that v and v' interfere in g iff they interfere in g' . Hence, they cannot interfere since the graph is simple **(Th.1)**.

The interference neighborhood of x in g' is the union of interference neighborhoods of x and y in g .

Theorem 36. $N(x, g') = N(x, g) \cup N(y, g)$.

Proof. We show the double inclusion.

$N(x, g') \subseteq N(x, g) \cup N(y, g)$: Let v be a vertex of $N(x, g')$. The interference edge (v, x) belongs to g' . Thus, the interference edge (v, x) or the interference edge (v, y) belongs to g **(ME3)**. Hence, $x \in N(x, g) \cup N(y, g)$.

$N(x, g) \cup N(y, g) \subseteq N(x, g')$: Let v be a vertex of $N(x, g) \cup N(y, g)$. In both cases, we have to take care that v is neither x nor y . Indeed, these cases lead to contradictions. Indeed, a vertex cannot interfere with himself and (x, y) cannot be an interference edge of g since it is, by assumption, the preference edge to be coalesced. Once these cases have been treated, the proof is obtained by applying **(ME2)**.

The interference neighborhood of a vertex v different from x and y in g' is obtained by removing y from it and adding x iff x or y is an interference neighbor of v in g .

Theorem 37. *If $v \in N(x, g)$ then $N(v, g') = N(v, g) - \{y\}$.
If $v \notin N(x, g) \wedge v \in N(y, g)$ then $N(v, g') = (N(v, g) - \{y\}) \cup \{x\}$.
If $v \notin N(x, g) \wedge v \notin N(y, g)$ then $N(v, g') = N(v, g)$.*

Proof. We show the double inclusion.

(\Rightarrow): Let v' be a vertex of $N(v, g')$. The interference edge (v, v') belongs to g' (Def. of N). Hence, (v, v') belongs to g' (**ME3**) since v' is not y (**Th. 1**). Hence, $N(v, g') \subseteq N(v, g) - \{y\}$. It proves the first inclusion for the 3 cases.

(\Leftarrow): We now distinguish the three cases :

- $v \in N(x, g)$: Let v' be a vertex of $N(v, g) - \{y\}$. If v' is equal to x then it belongs to $N(v, g)$ by assumption, and to $N(v, g')$ by (**ME3**). Else, (**Th. 35**) applies.
- $v \notin N(x, g) \wedge v \in N(y, g)$: Let v' be a vertex of $(N(v, g) - \{y\}) \cup \{x\}$. If v' is equal to x , then (v, v') belongs to g' since (v, y) belongs to g (**ME3**). Else, (**Th. 35**) applies.
- $v \notin N(x, g) \wedge v \notin N(y, g)$: Let v' be a vertex of $N(v, g)$. (**Th. 35**) applies.

The degree of any vertex v that interferes with both x and y decreases by 1 when e is coalesced.

Theorem 38. *If $x \in N(x, g) \cap N(y, g)$, then $\delta(v, g') = \delta(v, g) - 1$.*

Proof. Let v be a vertex interfering with both x and y . Since a vertex cannot interfere with himself, v is different from x and from y . $N(v, g')$ is obtained by deleting y from $N(v, g)$ and adding x if $x \in N(v, g)$ or $y \in N(v, g)$ (**Th. 37**). Since x and y belong to $N(v, g)$ we obtain that $N(v, g')$ is obtained only by deleting y from $N(v, g)$. Hence, we have $\delta(v, g) = \delta(v, g') + 1$.

The degree of any vertex v different from x and y that does not interfere with both x and y remains the same when e is coalesced.

Theorem 39. *If $v \neq x \wedge v \neq y \wedge v \notin N(x, g) \cap N(y, g)$, then $\delta(v, g') = \delta(v, g)$.*

Proof. Let v be a vertex different from x and y and which does not interfere with both x and y . Again, $N(v, g')$ is obtained by deleting y from $N(v, g)$ and adding x if $x \in N(v, g)$ or $y \in N(v, g)$ (**Th. 37**). We thus distinguish four cases :

1. $x \notin N(v, g), y \notin N(v, g)$: In this case we do not add and remove anything from $N(v, g)$;
2. $x \in N(v, g), y \notin N(v, g)$: x is added to $N(v, g)$, but already belongs to it. Thus, $N(v, g)$ remains unchanged;
3. $x \notin N(v, g), y \in N(v, g)$: y is deleted from $N(v, g)$ and x is added to $N(v, g)$. Since y belongs to $N(v, g)$ and x does not already belong to $N(v, g)$, the degree of v in g decreases of 1 and increases of 1. Thus, it globally remains unchanged;

4. $x \in N(v, g)$, $y \in N(v, g)$: This case is absurd by hypothesis.

The degree of a vertex v of g' linked with an interference edge with x and a preference edge with y (or, symmetrically, with a preference edge with x and an interference edge with y) decreases by one when e is coalesced.

Theorem 40. *If $v \in (N(x, g) \cap N_p(y, g)) \cup (N_p(x, g) \cap N(y, g))$, then $\delta_p(v, g') = \delta_p(v, g) - 1$.*

Proof. Any vertex v' different from both x and y belongs to $N(v, g)$ iff it belongs to $N(v, g')$ (**Th. 35**) (**Th. 2**). In addition, x and y do not belong to $N_p(v, g')$ since x belongs to $N(v, g')$ (**Th.36**) (**Th. 1**) and y does not belong to g' (**ME1**). Hence, using the assumption, we prove the result.

To summarize, the key lemmas are :

Theorem 41. *Any nonmove-related vertex of g is also nonmove-related in g' .*

Theorem 42. *Any move-related vertex v different from x and y of g is nonmove-related in g' iff $v \in (N_p(x, g) \cap N(y, g)) \cup (N_p(y, g) \cap N(x, g)) \wedge \delta_p(v, g) = 1$.*

Proof. (\Rightarrow) Let v be a move-related vertex of g different from x and y which is not move-related in g' . There exists in g a preference edge e' which is incident to v . Equivalently, there exists a vertex v' of g such that $e' = (v, v')$. Necessarily, v' is equal to x or y . Otherwise, (v, v') would belong to g' (**Th. 35**) and v would be move-related in g' . There are thus two cases to consider :

1. $v' = x$: We again split this case into two ones :
 - (a) $v \in N(y, g)$: We apply (**Th. 40**). We obtain that $\delta_p(v, g) - 1 = 0$ and thus that $\delta_p(v, g) = 1$.
 - (b) $v \notin N(y, g)$: We prove this case is absurd by showing that v is move-related in g' . We use the lemma (**ME4**). We now have to prove that e' is a preference edge of g , that $e' \neq e$ and that v and v' do not interfere in g' . The first fact is trivial. The second is true since v is different from y . The last is harder. Using (**M5**), we can prove that v and v' interfere in g' iff (v, x) or (v, y) belongs to g . The graph is simple and thus (v, x) is not an interference edge of g , since its endpoints are the same than the ones of e' . Finally, (v, y) is not an interference edge of g by assumption.
2. $v' = y$: The proof is symmetric to the one of the previous case.

(\Leftarrow) Let v be a vertex of g' such that $\delta(v, g) = 1$ and $v \in (N(x, g) \cap N_a(y, g)) \cup (N_a(x, g) \cap N(y, g))$. Applying (**Th. 40**) we obtain that $\delta(v, g') = 0$. Hence, v is not move-related in g' .

Theorem 43. *Any low-degree vertex v different from x and y of g is also a low-degree vertex of g' .*

Theorem 44. *Any high-degree vertex v different from x and y of g is of low-degree in g' iff $v \in N(x, g) \cap N(y, g) \wedge \delta(v, g) = K$.*

Let $wl = (\text{spillWL}, \text{freezeWL}, \text{simplifyWL}, \text{movesWL})$ such that the invariant ($\text{WL_invariant } g \text{ palette } wl$) holds. We introduce notations that are similar to those defined in the previous section. We denote by $L(x, y, g)$ the set of non-precolored interference neighbors of both x and y having an interference degree equal to K in g . These high-degree vertices of g will be low-degree vertices of g' . We reason as in the vertex removal case and respectively define $L_{mr}(x, y, g)$ and $L_{nmr}(x, y, g)$ as the set of move-related vertices of $L(x, y, g)$ and of nonmove-related vertices of $L(x, y, g)$. Last, we denote by $M(x, y, g)$ the set of nonprecolored low-degree vertices of $(N(x, g) \cap N_p(y, g)) \cup (N_p(x, g) \cap N(y, g))$ having a preference degree equal to 1 in g . These vertices will not be move-related anymore and have to be transferred to the simplify worklist.

Let $wl' = (\text{spillWL}', \text{freezeWL}', \text{simplifyWL}', \text{movesWL}')$ the four worklists that result from the following updates of wl .

1. Vertices of $L(x, y, g)$ are removed from spillWL , with $L(x, y, g)$ defined as follows. $L(x, y, g) =_{\text{def}} IN(x, g) \cap IN(y, g)$.
2. Vertices of $M(x, y, g)$ are removed from freezeWL , with $M(x, y, g)$ defined as follows. $M(x, y, g) =_{\text{def}} \{x \in (N(x, g) \cap N_p(y, g)) \cup (N_p(x, g) \cap N(y, g)) \mid x \notin \text{precolored}(g) \wedge \delta_p(x, g) = 1 \wedge (\text{has_low_degree } g \ K \ x)\}$.
3. Vertices of $L_{mr}(x, y, g)$ are added to the freeze worklist resulting from 2, with $L_{mr}(x, y, g)$ defined as follows.
 $L_{mr}(x, y, g) =_{\text{def}} \{x \in L(x, y, g) \mid \text{move_related } g \ x\}$.
4. Vertices of $L_{nmr}(x, y, g)$ and $M(x, y, g)$ are added to the simplify worklist resulting from 1, where L_{nmr} is defined as follows.
 $L_{nmr}(x, y, g) =_{\text{def}} \{x \in L(x, y, g) \mid \neg \text{move_related } g \ x\}$
5. For every vertex v of $N_p(x, g) \cap N(y, g)$ the preference edge (v, x) is removed from movesWL .
6. For every vertex v of $N_p(y, g) - N(x, g)$ a preference edge (v, x) is added to the move worklist resulting from 5.
7. Every preference edge incident to y is removed from the move worklist resulting from 6.
8. If x is not precolored, x is classified in the appropriate worklist, depending on its preference and interference degrees.
9. x (and similarly y) is removed from the spill worklist resulting from 1 if it is of high-degree in g or from the freeze worklist resulting from 3 if it is of low-degree in g .

Theorem 45. $\text{WL_invariant } g' \text{ palette } wl'$.

Proof. 1. $\text{spillWL}' (\Rightarrow)$: Let v be a vertex of $\text{spillWL}'$. We distinguish two cases, depending wheter x belongs to $\text{spillWL}'$ or not.

- (a) x does not belongs to $\text{spillWL}'$: v is not equal to y , belongs to spillWL and does not belong to $L(x, y, g)$. Hence, v belongs to g' (**ME1**), is not precolored in g' (**ME2**), and is of high-degree in g' (**Th. 43**).
- (b) x belongs to $\text{spillWL}'$: if $v \neq x$, the previous reasoning applies. Otherwise, x is well classified, by assumption.

2. **spillWL'** (\Leftarrow) : Let v be a nonprecolored, high-degree vertex of g' . We have to show that v belongs to **spillWL** and not to $L(x, y, g)$. We know that v is a nonprecolored (**ME2**) high-degree vertex of g (**Th. 43**). Hence, v belongs to **spillWL**. In addition, v does not belong to $L(x, y, g)$ since it is of high-degree in g' (**Th. 44**).
3. **simplifyWL'** (\Rightarrow) : Let v be a vertex of **simplifyWL'**. v belongs to **simplifyWL**, to $L_{nmr}(x, y, g)$, or to $M(x, y, g)$:
 - (a) v belongs to **simplifyWL** : v is a nonprecolored, nonmove-related, low-degree vertex of g . Since it is nonmove-related, it cannot be either x nor y . Hence, v is a nonprecolored (**ME2**), nonmove-related (**Th. 41**), low-degree vertex of g' (**ME1**);
 - (b) $v \in L_{nmr}(x, y, g)$: v is, by definition, a nonprecolored vertex of g of degree K , interfering with both x and y . Hence, v is a nonprecolored (**ME2**), low-degree (**Th. 43**) vertex of g' . Furthermore, v is not move-related in g' since it is not move-related in g (**Th. 41**).
 - (c) $v \in M(x, y, g)$: v is, by definition, a nonprecolored low-degree vertex of $(N(x, g) \cap N_p(y, g)) \cup (N_p(x, g) \cap N(y, g))$ having a preference degree equal to 1. Hence, v is different from x and y , since a vertex cannot belong to its own neighborhood. Consequently, v is a nonprecolored (**ME2**), nonmove-related (**Th. 42**), low-degree (**Th. 39**) vertex of g' .
4. **simplifyWL'** (\Leftarrow) : Let v be a nonprecolored, low-degree, nonmove-related vertex of g' . If it is x , it is well classified. In the other case, we have to consider two cases :
 - v is of low degree in g : since v is not precolored in g' , it is not precolored in g . Hence, v belongs to either **simplifyWL** or **freezeWL**. In the first case, it belongs to **simplifyWL'**, since **simplifyWL'** contains **simplifyWL**. In the second, v is move-related in g and is not in g' , thus v belongs to M . Hence, v belongs to **simplifyWL'** (**Th. 42**).
 - v is of high degree in g : v cannot but belong to $L(x, y, g)$ (**Th. 44**). Hence v is move-related in g iff it is in g' . It yields that v is a nonmove-related vertex of $M(x, y, g)$. Thus, v belongs to $L_{nmr}(x, y, g)$ and hence to **simplifyWL'**.
5. **freezeWL'** (\Rightarrow) : Let v be a vertex of **freezeWL'**. If v is equal to x , v is well classified. Otherwise, we consider two cases :
 - v belongs to **freezeWL** and not to $M(x, y, g)$: v is a low-degree, move-related, nonprecolored vertex of g . Since v is different from x and y , v is of low-degree in g' (**Th. 43**). Moreover, v does not belong to $M(x, y, g)$. Hence, v is move-related in g iff it is in g' (**Th. 41**) (**Th. 42**). It yields that v is move-related in g' . Finally, v is not precolored in g' since it is not in g (**ME2**).
 - v belongs to $L_{mr}(x, y, g)$: v belongs to $L(x, y, g)$ implies that v is of low-degree in g' (**Th. 44**). In addition, v does not interfere with x nor y and hence is move-related in g' iff it is in g (**Th. 41**) (**Th. 42**). It yields that v is move-related in g' , by definition of $L_{mr}(x, y, g)$. Finally, v is not precolored in g' since it is not in g (**ME2**).

6. *freezeWL'* (\Leftarrow) : Let v be a low-degree, move-related, nonprecolored vertex of g' . If x is equal to v then it is well classified. Otherwise, v is move-related in g since it is move-related in g' (**Th. 41**) (**Th. 42**) and is a nonprecolored vertex of g since it is a nonprecolored vertex of g' (**ME2**). We consider two cases, depending on the degree of v in g .
- v is of low-degree in g . Hence, v belongs to *freezeWL*. Furthermore, v is move-related in g' and hence does not belong to $M(x, y, g)$ (**Th. 42**). Hence, v belongs to *freezeWL'*.
 - v is of high-degree in g . Hence, v belongs to $L(x, y, g)$, because v is of low-degree in g' (**Th. 44**). Moreover, v is move-related in g and thus belongs to $L_{mr}(x, y, g)$. It implies that v belongs to *freezeWL'*.
7. *movesWL'* (\Rightarrow) : Let (v_1, v_2) be an edge of *movesWL'*. Then v_1 and v_2 are both different from y . We have to show that there exists a preference edge (v_3, v_4) such that $(v_1, v_2) = (v_3, v_4)_{[y \rightarrow x]}$ and that v_1 and v_2 do not interfere in g' . We consider two cases :
- If v_1 and v_2 are both different from x , then (v_3, v_4) can be equal to (v_1, v_2) . Moreover, v_1 and v_2 do not interfere in g' since they do not interfere in g (they interfere in g' iff they interfere in g by (**Th. 35**)). Hence, (v_1, v_2) is a preference edge of g' (**ME4**).
 - If v_2 is equal to x (we do not consider the symmetric case, i.e. v_1 equal to x) then v_1, v_2 can be either the redirection of (v_1, x) or of (v_1, y) .
 - If v_4 is equal to x , then v_1 cannot interfere with y since we remove from *movesWL* the edges (v, x) such that v belongs to $Np(x, g) \cap N(y, g)$. Hence, v_1 does not interfere with x nor y in g and thus does not interfere with x in g' (**Th. 36**).
 - If v_4 is equal to y , then v_1 cannot interfere with x . Otherwise, $(v_1, v_2) = (v_1, x)$ would not be in *movesWL* since it would have been removed from it (by the fifth step of the worklists construction).
8. *movesWL'* (\Leftarrow) : Let (v_1, v_2) be a preference edge of g' . We consider two cases :
- If (v_1, v_2) is not incident to x then it belongs to g (**ME5**). Hence it belongs to *movesWL* and does not enter in the cases where it is removed from *movesWL*. Thus, it belongs to *movesWL'*.
 - If x is equal to v_2 (the symmetric case, i.e. v_1 equal to x is not considered) then there exists an edge (v_1, v_3) such that $(v_1, v_3)_{[y \rightarrow x]} = (v_1, x)$. Hence, v_3 is either equal to x or y .
 - If v_3 is equal to x then (v_1, x) belongs to g (and thus to *movesWL*) and v_1 does not interfere with y (otherwise, (v_1, x) would not belong to g' by (**ME4**) and (**ME5**)). Hence, (v_1, v_2) belongs to *movesWL'*.
 - If v_3 is equal to y then (v_1, y) belongs to g (and thus to *movesWL*) and v_1 does not interfere with x (otherwise, (v_1, x) would not belong to g' by (**ME4**) and (**ME5**)). Hence, (v_1, v_2) belongs to *movesWL'*.

A.3 Freeze

We now consider a vertex v to be frozen in g . Since v is candidate to the freeze, it is a move-related, low-degree vertex of g . Recall that freezing v consists in

deleting its incident preference edges. The result of this freeze leads to the graph g' . Hence, the following properties hold.

Let $x \neq v$ a vertex of g . When v is frozen, the preference degree of x decreases by one if x is a preference neighbor of v in g .

Theorem 46. *If $x \in N_p(v, g)$, then $\delta_p(v, g') = \delta_p(v, g) - 1$.*

Proof. Let $x \neq v$ be a vertex of g . If x is a preference neighbor of v in g then the neighbors of x in g' are exactly the same than in g , minus v . Hence, the preference degree of x decreases by exactly one.

Let $x \neq v$ a vertex of g . When v is frozen, the preference degree of x is left unchanged if x is not a preference neighbor of v in g .

Theorem 47. *If $x \notin N_p(v, g)$, then $\delta_p(v, g') = \delta_p(v, g)$.*

Proof. Let $x \neq v$ be a vertex of g . If $x \notin N_p(v, g)$, then the neighbors of x in g' are the same than in g (**DP3**), and thus the degree of x is unchanged.

Any vertex $x \neq v$ which is not a preference neighbor of v in g is move-related in g' iff it is move-related in g .

Theorem 48. *If $x \neq v \wedge x \notin N_p(v, g)$, then $\text{move_related } g' v = \text{move_related } g v$.*

Any preference neighbor $x \neq v$ of v in g is move-related in g' iff its preference degree in g is strictly greater than 1.

Theorem 49. *If $x \in N_p(v, g)$, $\text{move_related } g' x \Leftrightarrow \delta_p(x, g) > 1$.*

To summarize, the key lemmas are:

Theorem 50. *Any nonmove-related vertex of g is also nonmove-related in g' .*

Theorem 51. *Any move-related vertex $x \neq v$ of g is nonmove-related in g' iff $x \in N_p(v, g) \wedge \delta_p(x, g) = 1$.*

Theorem 52. *Any vertex is of low-degree in g' iff it is of low-degree in g .*

Let $wl = (\text{spillWL}, \text{freezeWL}, \text{simplifyWL}, \text{movesWL})$ such that the invariant ($\text{WL_invariant } g \text{ palette } wl$) holds. We denote by D the set of nonprecolored preference neighbors of v having a degree equal to 1 in g , that are also low-degree vertices. These vertices have to be moved from the freeze worklist to the simplify one. D is formally defined as follows.

$$D(v, g) =_{\text{def}} \{x \in N_p(v, g) \mid x \notin \text{precolored}(g) \wedge \delta_p(x, g) = 1 \wedge \text{has_low_degree } g K x\}$$

Let $wl' = (\text{spillWL}', \text{freezeWL}', \text{simplifyWL}', \text{movesWL}')$ the four worklists that result from the following updates of wl and g' the updated graph.

1. The vertex v is removed from **freezeWL** and added to **simplifyWL**.
2. Vertices of D are removed from the freeze worklist resulting from 1.
3. Vertices of D are added to the simplify worklist resulting from 1.
4. Preference edges incident to v are removed from **movesWL**.

Theorem 53. WL_invariant g' palette wl' .

- Proof.*
1. $spillWL' (\Rightarrow)$: Let x be a vertex of $spillWL'$. By definition $spillWL'$ is equal to $spillWL$ and hence x is a nonprecolored, high-degree vertex of g . From **(DP1)**, **(DP2)** and **(Th. 52)** respectively, we obtain that x is in g' , x is not precolored in g' and x is of high-degree in g' .
 2. $spillWL' (\Rightarrow)$: Let x be a nonprecolored, high-degree vertex of g' . Thus, x is a nonprecolored **(DP2)**, high-degree vertex of g **(DP1)** **(Th. 52)**. Hence, it belongs to $spillWL$ and finally to $spillWL'$.
 3. $freezeWL' (\Rightarrow)$: Let x be a vertex of $freezeWL'$. Since $freezeWL' \subseteq freezeWL$, x belongs to $freezeWL$. Hence, x is a nonprecolored, low-degree, move-related vertex of g . From **(DP1)** we obtain that x is in g' . Moreover, **(Th. 52)** implies that x is of low-degree in g' and **(Th. 51)** implies that x is move-related in g' . Indeed, **(Th. 51)** applies since x is different from v and does not belong to D , by definition of $freezeWL'$.
 4. $freezeWL' (\Leftarrow)$: Let x be a nonprecolored, low-degree, move-related vertex of g' . The precolored vertices are the same for both g and g' **(DP2)**, and thus x is not precolored in g . Moreover, x is move-related in g since it is move-related in g' **(Th. 50)**. Finally, x is of low-degree in g **(Th. 52)**. These facts ensure that x belongs to $freezeWL$. In addition, x is different from v and does not belong to D since x is move-related in g' **(DP4)** **(Th. 51)**. Hence, x belongs to $freezeWL'$.
 5. $simplifyWL' (\Rightarrow)$: Let x be a vertex of $simplifyWL'$. There are three cases to consider :
 - (a) $x = v$: The specification of the delete_preferences function **(DP1)** **(DP2)** **(DP4)** implies that v is a nonprecolored and nonmove-related vertex of g' . Moreover, v is of low-degree in g' since it is of low-degree in g **(Th. 52)**.
 - (b) $x \in D$: By definition, D is a subset of $freezeWL$. Hence, x is a nonprecolored, low-degree vertex of g . Hence, x is a nonprecolored, low-degree vertex of g' **(DP1)** **(DP2)** **(Th. 52)**. Furthermore, x is nonmove-related in g' since it is in D **(Th. 51)**.
 - (c) x belongs to $simplifyWL$: It is easy to show that x is a nonprecolored **(DP2)**, low-degree vertex of g' **(Th. 52)**. In addition, x cannot be move-related in g' since it is not in g **(Th. 50)**.
 6. $simplifyWL' (\Leftarrow)$: Let x be a nonprecolored, low-degree, nonmove-related vertex of g' . Propositions **(DP2)** and **(Th. 52)** respectively ensure that x is a nonprecolored, low-degree vertex of g . Moreover, x is wheter nonmove-related in g or belongs to D **(Th. 50)** **(Th. 51)**. Indeed, otherwise x would be move-related in g' , that is absurd. In both cases, x belongs to $simplifyWL'$.
 7. $movesWL' (\Rightarrow)$: Let e be an edge of $movesWL'$. By definition of $movesWL'$, e belongs to $movesWL$ and is not incident to v **(DP4)**. Hence, e is a preference edge of g and is not incident to v . Hence, **(DP4)** concludes that e is a preference edge of g' .
 8. $movesWL' (\Leftarrow)$: Let e be a preference edge of g' . **(DP4)** ensures that e is a preference edge of g .